



## MANUFACTURED FOR

Western States Wholesale  
1420 S. Bon View, Ontario, CA 91761  
Emergency Phone: (800) 325-6851

### SECTION I – Identity

ProFill

### SECTION II – Hazardous Ingredients/ Identity Information

**Component:** Acrylic polymer (CAS-Non-Haz)  
OSHA PEL: Not established  
ACGIH TLV: Not established  
**Component:** Titanium dioxide (CAS-13463-67-7)  
OSHA PEL: Not established  
ACGIH TLV: NEmg/m<sup>3</sup> res, other limits 2.0  
**Component:** Inorganic Filler (CAS Mixture) 70%  
OSHA PEL: 15  
ACGIH TLV: 10mg/m<sup>3</sup>, other limits 10  
**Component:** Mineral Spirits (CAS-8032-32-4) 5%  
OSHA PEL: 500  
ACGIH TLV: 100ppm, other limits 200  
**Component:** Butyl Benzyl Phtahatate (CAS-85-68-7)  
15%  
OSHA PEL: Not established  
ACGIH TLV: Not established, Other Limits Not established  
**Component:** Water (CAS-Non-Haz) 30%  
OSHA PEL: Not established  
ACGIH TLV: Not established, Other Limits Not established

### SECTION III Physical/Chemical Characteristics

Boiling Point: Variable  
Specific Gravity: (H<sub>2</sub>O=<1)  
Vapor Pressure: <1  
Melting Point: Variable  
Solubility in water: Dispersible  
Vapor Density: (Air=1)  
Evaporation Rate: >1  
Appearance and Odor: milky white or colored paste, mild odor.

### SECTION IV

#### Fire and Explosion Hazard Data

Flash Point: NA  
Flammable Limits: NA  
Extinguishing Media: NA  
Unusual Fire and explosion Hazards: Material can splatter above 212° F (100° C). Polymer film can burn.

### SECTION V - Reactivity Data

Stability: Stable  
Conditions to Avoid: NA  
Incompatibility: NA  
Hazardous Decomposition or by-products: NA  
Hazardous Polymerization: Will Not Occur.

### SECTION VI - Health Hazard Data

#### Primary Routes of Entry:

Recommended Work Place Exposure Limits: TWA=SEE  
Section I= 10mg/m<sup>3</sup> TD resp; 125 ppm.

#### Health Hazards:

Inhalation: Vapor or mist can cause irritation of the nose, throat and lungs and cause headache and nausea.  
Skin Contact: Irritating to skin upon repeated or prolonged contact.

Eye Contact: Slightly irritating to eyes.

#### Emergency and First Aid procedures:

Inhalation: Move subject to fresh air. Eyes and Skin Contact: Flush eyes with large amount of water least 15 minutes. See a physician if irritation persists. Wash affected skin areas with soap and water. Ingestion: If swallowed, dilute by giving 2 glasses of water drink. See a physician. Note: Titanium dioxide when formulated as above does not pose a hazard unless sanding or grinding of the dry coating takes place.

The TWA for inorganic filler are those for nuisance dust.

### SECTION VII

#### Precautions for Safe Handling and Use

**Released or Spilled:** Floor may be slippery, use care to avoid falling. Scoop or shovel solid material into a suitable container for recovery or disposal. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

**Waste Disposal Method:** When discarded this material contains a listed hazardous ingredient (butyl benzyl phthalate); reportable “Superfund” incinerate the solids at permitted facility according to local, state and federal regulations.

**Precautions to be taken in handling and storing:** Store in original container. Keep from Freezing.

### SECTION VIII - Control Measures

**Respiratory Protection:** Wear suitable respirator (OSHA/NIOSH approved equivalent). Where exposure limits are determined. Eliminate exposure to dust, use OSHA approved mask for silica dust, if freshly mixed mortar gets into eyes or contacts skin flush immediately and repeatedly with water & contact physician immediately.

**Protective Gloves:** Impervious.

**Eye Protection:** ANSI 87.1 or equivalent chemical splash guard goggles.

**Ventilation to be Used:** Mechanical local exhaust ventilation at point of contaminant release.

**Note to Physician:** Petroleum hydrocarbons can cause CNS effects. If swallowed, careful evacuation of the stomach is advisable.

NA= NOT APPLICABLE

C= CENTIGRADE

F= FAHRENHEIT

DATE REVISED: 3/02/05

### Disclaimer

The information presented is believed to be accurate but is not warranted to be. Whether originating with the company or not. Recipients are advised to confirm in advance of need, that the information is current, applicable and suitable to their circumstance.